


FIG. 1



b.

BEST AVAILABLE COPY

## DLD-1 KO No Drug + SC-D DLD-1 KO No Drug **1** +

FIG. 3

BEST AVAILABLE COPY

**FIG. 4a** 

	- <b>-</b>					
R1C12	BC12	R4C12	RSC12	R6C12	R7C12	R8C12
RICII RICIII	Racill Back	R4C11	RSCI1	R6C11	R7C11	R8C11
R1C10	R3C10	R4C10	R3C10	R6C10	R7C10	R8C10
R2C9	R3C9	R4C9	RSO	R6C9	R7C9	R8C9
R1C8	R3C8	R4C8	B3C8	R6C8	R7C8	R8C8
RIC7	33C	R4C7	RSC7	R6C7	R7C7	R8C7
R1C6	RG6	R4C6	RSC6	R6C6	R7C6	R8C6
R1CS R2CS	BSS Signature	R4CS	RSCS	R6C5	R7CS	RBC5
RICA	88 A	R4C4	RSC4	R6C4	R7C4	R8C4
RIG R2G R2G	83.3.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	R4G3	88	R6G3	R7G3	R8G3
RICZ RICZ RZCZ	BSC IIIII	R4C2	BSC2	R6C2	R7C2	R8C2
RICI RZCI	B3C1	R4C1	RSC1	R6C1	R7C1	RBC1




FIG. 5




FIG 6

C mp und structure	Compound name	IC <sub>50</sub> DLD	IC <sub>50</sub> KO	F Id selectivity
	Triphenyl tetrazolium	2	16	8 fold
Br N N N	C169 A9	12	8	0.67 fold
	C169 B9	6	4	0.67 fold
	C57 D11	32	16	0.5 fold
	C29 A2	>32	>32	-
	C74 D8	16	8	0.5 fold
S-CH <sub>3</sub>	SB203580	16	16	1.0 fold

**FIG. 7** 

